

Safety Data Sheet 2121B02

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 08/29/2016 Version: 1.0

SECTION 1: Identification	
1.1. Identification	
Product form	: Substance
Substance name	: Bromodifluoroacetic acid
CAS No	: 354-08-5
Product code	: 2121-B-02
Formula	: C2HBrF2O2
Synonyms	: 2-Bromo-2,2-difluoroacetic acid
Other means of identification	: MFCD02183519
1.2. Relevant identified uses of the set	ubstance or mixture and uses advised against
Use of the substance/mixture	: Laboratory chemicals
	Manufacture of substances Scientific research and development
	· · · · · · · · · · · · · · · · · · ·
1.3. Details of the supplier of the safe	ety data sheet
SynQuest Laboratories, Inc. P.O. Box 309	
Alachua, FL 32615 - United States of America	a
T (386) 462-0788 - F (386) 462-7097	
info@synquestlabs.com - www.synquestlabs	<u>.com</u>
1.4. Emergency telephone number	
Emergency number	: (844) 523-4086 (3E Company - Account 10069)
SECTION 2: Hazard(s) identification	on
2.1. Classification of the substance of	or mixture
Classification (GHS-US)	
Skin Corr. 1B H314 - Causes severe skin	burns and eye damage
Eye Dam. 1 H318 - Causes serious eye	damage
STOT SE 3 H335 - May cause respirato	iry irritation
Full text of H-phrases: see section 16	
2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	
	GHS05 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: H314 - Causes severe skin burns and eye damage
	H335 - May cause respiratory irritation
Precautionary statements (GHS-US)	: P260 - Do not breathe dust, fumes, mist, spray, vapors
	P264 - Wash skin thoroughly after handling
	P271 - Use only outdoors or in a well-ventilated area P280 - Wear protective gloves/protective clothing/eye protection/face protection
	P301+P330+P331 - If swallowed: rinse mouth. Do NOT induce vomiting
	P303 P261 P252 If on skip (or bair) Take off immediately all contaminated clothing. Pinco

P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a POISON CENTER or doctor/ physician

P321 - Specific treatment (see supplemental first aid instructions on this label)

P363 - Wash contaminated clothing before reuse

P403+P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/container to an approved waste disposal plant

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

ccording to Federal Register / Vol. 77, No. 58 / Monday.	, March 26, 2012 / Rules and Regulations		
2.3. Other hazards			
No additional information available			
2.4. Unknown acute toxicity (GHS US)			
Not applicable			
SECTION 3: Composition/information	on on ingredients		
3.1. Substance			
Substance type	: Mono-constituent		
Name	Product identifier	%	Classification (GHS-US)
Bromodifluoroacetic acid (Main constituent)	(CAS No) 354-08-5	<= 100	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335
Full text of H-phrases: see section 16			
3.2. Mixture			
Not applicable			
SECTION 4: First aid measures			
4.1. Description of first aid measures			
First-aid measures general : In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Move the affected personnel away from the contaminated area.			
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration. Get immediate medical advice/attention.			
First-aid measures after skin contact : Wash with plenty of soap and water. Remove contaminated clothing and shoes. Get imme medical advice/attention.			clothing and shoes. Get immediate
First-aid measures after eye contact : Immediately flush eyes thoroughly with water for at least 15 minutes. Remove contact present and easy to do. Continue rinsing. Get immediate medical advice/attention.			
First-aid measures after ingestion	: Do NOT induce vomiting. Never give mouth out with water. Get immediate		
4.2. Most important symptoms and effect	cts, both acute and delayed		
Symptoms/injuries	: The most important known symptom 2.2) and/or in section 11.	s and effects are descri	bed in the labelling (see section
Symptoms/injuries after inhalation	Material is destructive to tissue of the shortness of breath, headache, naus		and upper respiratory tract. Cough,
4.3. Indication of any immediate medica	I attention and special treatment need	ed	
Treat symptomatically.			
SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Alcohol resistant foam. Carbon dioxi appropriate for surrounding fire.	de. Dry powder. Water s	spray. Use extinguishing media
5.2. Special hazards arising from the su	bstance or mixture		
Fire hazard	: Thermal decomposition generates: C	Carbon oxides. Hydroge	n bromide. Hydrogen fluoride.
5.3. Advice for firefighters			
Firefighting instructions	: In case of fire: Evacuate area.		
Protection during firefighting	: Wear gas tight chemically protective apparatus. For further information re		
SECTION 6: Accidental release mea	sures		

SECTION 6: Accidental release measures				
6.1.	Personal precautions, protective equip	oment and emergency procedures		
General n	neasures :	Evacuate unnecessary personnel. Ensure adequate air ventilation. Do not breathe dust. Do not breathe gas, fumes, vapor or spray.		
6.1.1.	For non-emergency personnel			
Emergen	cy procedures :	Only qualified personnel equipped with suitable protective equipment may intervene.		
6.1.2.	For emergency responders			
Protective	e equipment :	Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

6.2. Environmental precautions					
Avoid release to the environment. Notif	y authorities if product enters sewers or public waters.				
6.3. Methods and material for containment and cleaning up					
For containment	: Stop leak if safe to do so. Dike for recovery or absorb with appropriate material.				
Methods for cleaning up	Minimize generation of dust. Take up large spills with pump or vacuum and finish with dry chemical absorbent. Use explosion-proof equipment. Take up small spills with dry chemical absorbent. Sweep or shovel spills into appropriate container for disposal. Ventilate area.				
Other information	: For disposal of solid materials or residues refer to section 13 : "Disposal considerations".				
6.4. Reference to other sections	5				
No additional information available					
SECTION 7: Handling and sto	rage				
7.1. Precautions for safe handli	ng				
Precautions for safe handling	Do not handle until all safety precautions have been read and understood. Ensure good ventilation of the work station. Do not breathe dust, fumes, mist, spray, vapors. Wear personal protective equipment. Avoid contact with skin and eyes.				
Hygiene measures	: Handle in accordance with good industrial hygiene and safety procedures. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.				
7.2. Conditions for safe storage	, including any incompatibilities				
Technical measures	: Comply with applicable regulations.				
Storage conditions	: Keep container closed when not in use. Hygroscopic. Keep contents under inert gas.				
	: Refer to Section 10 on Incompatible Materials.				
Incompatible materials	. Refer to Section to on incompatible materials.				

SECTION 8: Exposure controls/personal protection

8.1. **Control parameters**

No additional information available

8.2. Exposure controls	
Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.
Hand protection	: Protective gloves. 29 CFR 1910.138: Hand Protection.
Eye protection	: Chemical goggles or safety glasses. Face shield. 29 CFR 1910.133: Eye and Face Protection.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: In case of inadequate ventilation wear respiratory protection. 29 CFR 1910.134: Respiratory Protection.
Other information	: Safety shoes. 29 CFR 1910.136: Foot Protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and	d chemical properties	
Physical state	: Solid	
Appearance	: Low melting solid.	
Color	: No data available	
Odor	: No data available	
Odor threshold	: No data available	
рН	: No data available	
Melting point	: 26.5 - 56 °C	
Freezing point	: No data available	
Boiling point	: 134 °C	
Flash point	: No data available	
Relative evaporation rate (butyl acetate=1)	: No data available	
Flammability (solid, gas)	: No data available	
Explosion limits	: No data available	
Explosive properties	: No data available	
Oxidizing properties	: No data available	
a (/ a / a a a)		o /7

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Molecular mass	: 174.93 g/mol
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available

9.2. Other information

No additional information available

SECT	ION 10: Stability and reactivity
10.1.	Reactivity
No addi	tional information available
10.2.	Chemical stability
The pro	duct is stable at normal handling and storage conditions.
10.3.	Possibility of hazardous reactions
No addi	tional information available
10.4.	Conditions to avoid
Keep av	vay from heat, sparks and flame.
10.5.	Incompatible materials
Strong I	pases. Strong oxidizing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. Hazardous decomposition products in case of fire, see Section 5.

SECTION 11: Toxicological informa	tion
11.1. Information on toxicological effects	S
Acute toxicity	: Not classified
Skin corrosion/irritation	: Causes severe skin burns and eye damage.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitization	: Not classified

Germ cell mutagenicity Carcinogenicity	: Not classified : Not classified
Reproductive toxicity Specific target organ toxicity (single exposure)	: Not classified : May cause respiratory irritation.
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Symptoms/injuries after inhalation	: Material is destructive to tissue of the mucuous membranes and upper respiratory tract. Cough, shortness of breath, headache, nausea.

SECTIO	SECTION 12: Ecological information				
12.1.	Toxicity				
No additi	onal information available				
12.2.	Persistence and degradability				
No additi	onal information available				

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

12.3.	Bioaccumulative potential			
No addi	tional information available			
12.4.	Mobility in soil			
	tional information available			
i to addi				
12.5.	Other adverse effects			
No addi	tional information available			

SECTION 13: Disposal considerations 13.1. Waste treatment methods : Remove to an authorized incinerator equipped with an afterburner and a flue gas scrubber. Waste disposal recommendations : Dispose of contents/container in accordance with licensed collector's sorting instructions. Additional information : Recycle the material as far as possible. SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Transport document description

UN-No.(DOT) Proper Shipping Name (DOT) Transport hazard class(es) (DOT) Hazard labels (DOT)

- : UN3261 Corrosive solid, acidic, organic, n.o.s., 8, III
- : UN3261
- : Corrosive solid, acidic, organic, n.o.s.
- : 8 Class 8 Corrosive material 49 CFR 173.136
- : 8 Corrosive



: III - Minor Danger

: 213

- Packing group (DOT)
- DOT Packaging Non Bulk (49 CFR 173.xxx)
- DOT Packaging Bulk (49 CFR 173.xxx)
- DOT Symbols
- DOT Special Provisions (49 CFR 172.102)
- : 240 : G - Identifies PSN requiring a technical name : IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2). IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner. T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2) TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.

DOT Packaging Exceptions (49 CFR 173.xxx)	:	154	
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	25 kg	
DOT Quantity Limitations Cargo aircraft only (49	÷	100 ka	

- CFR 175.75)

 DOT Vessel Stowage Location

 : A The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.
 - : No supplementary information available.

Other information

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

No additional information available

Transport by sea	
UN-No. (IMDG)	: 3261
Proper Shipping Name (IMDG)	: CORROSIVE SOLID, ACIDIC, ORGANIC, N.O.S.
Class (IMDG)	: 8 - Corrosive substances
Packing group (IMDG)	: III - substances presenting low danger
Air transport	
UN-No. (IATA)	: 3261
Proper Shipping Name (IATA)	: Corrosive solid, acidic, organic, n.o.s.
Class (IATA)	: 8 - Corrosives
Packing group (IATA)	: III - Minor Danger

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory except for:

	Bromodifluoroacetic acid	
--	--------------------------	--

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

CAS No 354-08-5

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

Bromodifluoroacetic acid (354-08-5)

Listed on the Japanese ISHL (Industrial Safety and Health Law)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer and/or reproductive harm

SECTION 16: Other information

Full text of H-phrases:

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
STOT SE 3	Specific target organ toxicity (single exposure) Category 3
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H335	May cause respiratory irritation


NFPA health hazard

: 3 - Short exposure could cause serious temporary or residual injury even though prompt medical attention was given.

: 0 - Materials that will not burn.

NFPA fire hazard NFPA reactivity

: 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



100%

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating	
Health	: 2 Moderate Hazard - Temporary or minor injury may occur
Flammability	: 0 Minimal Hazard - Materials that will not burn
Physical	: 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is offered solely for your consideration, investigation, and verification. It does not represent any guarantee of the properties of the product nor that the hazard precautions or procedures described are the only ones which exist. SynQuest shall not be held liable or any damage resulting from handling or from contact with the above product.