



**SynQuest Laboratories, Inc.**  
PO Box 309, Alachua, FL 32616-0309  
Tel. 386/462-0788; FAX 386/462-7097

## Material Safety Data Sheet

Transportation Emergency: 1-800-451-8346

Date last revised: July 14, 2009

Date printed: July 14, 2009

### SECTION 1. ----- CHEMICAL IDENTIFICATION -----

CATALOG #: 2616-7-36  
NAME: 2,6-DIFLUORO-4-METHOXYBENZOYL CHLORIDE

### SECTION 2. ----- COMPOSITION/INFORMATION ON INGREDIENTS -----

CAS #: 125369-56-4  
MF: C<sub>8</sub>H<sub>5</sub>ClF<sub>2</sub>O<sub>2</sub> = 206.58

### SECTION 3. ----- HAZARDS IDENTIFICATION -----

#### LABEL PRECAUTIONARY STATEMENTS

CORROSIVE.  
CAUSES BURNS.  
IRRITANT.  
IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN  
LACHRYMATOR.

### SECTION 4. ----- FIRST-AID MEASURES -----

#### ORAL EXPOSURE

IF SWALLOWED, WASH OUT MOUTH WITH WATER PROVIDED PERSON IS CONSCIOUS. CALL A PHYSICIAN.

#### INHALATION EXPOSURE

IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN.

#### EYE EXPOSURE

ASSURE ADEQUATE FLUSHING OF THE EYES BY SEPARATING THE EYELIDS WITH FINGERS.

#### DERMAL EXPOSURE

IN CASE OF SKIN CONTACT, FLUSH WITH COPIOUS AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. REMOVE CONTAMINATED CLOTHING AND SHOES. CALL A PHYSICIAN.

**SECTION 5. ----- FIRE FIGHTING MEASURES -----**

FLASH POINT

NOT ESTABLISHED

EXTINGUISHING MEDIA

SUITABLE: FOR SMALL (INCIPIENT) FIRES, USE MEDIA SUCH AS "ALCOHOL" FOAM, DRY CHEMICAL, OR CARBON DIOXIDE. FOR LARGE FIRES, APPLY WATER FROM AS FAR AS POSSIBLE. USE VERY LARGE QUANTITIES (FLOODING) OF WATER APPLIED AS A MIST OR SPRAY; SOLID STREAMS OF WATER MAY BE INEFFECTIVE. COOL ALL AFFECTED CONTAINERS WITH FLOODING QUANTITIES OF WATER.

FIREFIGHTING

PROTECTIVE EQUIPMENT: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH SKIN AND EYES.

SPECIFIC HAZARD(S): COMBUSTIBLE LIQUID. EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

EXPOSURE HAZARD(S)

MATERIAL: CORROSIVE. LACHRYMATOR.

**SECTION 6. ----- ACCIDENTAL RELEASE MEASURES-----**

PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL

EVACUATE AREA.

PROCEDURE(S) OF PERSONAL PRECAUTION(S)

WEAR SELF-CONTAINED BREATHING APPARATUS, RUBBER BOOTS, AND HEAVY RUBBER GLOVES.

METHODS FOR CLEANING UP

ABSORB ON SAND OR VERMICULITE AND PLACE IN CLOSED CONTAINERS FOR DISPOSAL. VENTILATE AREA AND WASH SPILL SITE AFTER MATERIAL PICKUP IS COMPLETE.

**SECTION 7. ----- HANDLING AND STORAGE-----**

HANDLING

USER EXPOSURE: DO NOT BREATHE VAPOR. DO NOT GET IN EYES, ON SKIN, ON CLOTHING. AVOID PROLONGED OR REPEATED EXPOSURE.

STORAGE

SUITABLE: KEEP TIGHTLY CLOSED. KEEP AWAY FROM HEAT AND OPEN FLAME. STORE IN A COOL DRY PLACE.

SPECIAL REQUIREMENTS

MOISTURE SENSITIVE.

**SECTION 8. ----- EXPOSURE CONTROLS/PERSONAL PROTECTION-----**

ENGINEERING CONTROLS

SAFETY SHOWER AND EYE BATH. USE ONLY IN A CHEMICAL FUME HOOD.

PERSONAL PROTECTIVE EQUIPMENT

OTHER: WEAR APPROPRIATE GOVERNMENT APPROVED RESPIRATOR, CHEMICAL-RESISTANT GLOVES, SAFETY GOGGLES, OTHER PROTECTIVE CLOTHING. FACESHIELD (8-INCH MINIMUM).

GENERAL HYGIENE MEASURES

WASH THOROUGHLY AFTER HANDLING. WASH CONTAMINATED CLOTHING BEFORE REUSE. DISCARD CONTAMINATED SHOES.

**SECTION 9. ----- PHYSICAL AND CHEMICAL PROPERTIES -----**

**PHYSICAL PROPERTIES**

NONE ESTABLISHED

**SECTION 10. -----STABILITY AND REACTIVITY -----**

**STABILITY**

CONDITIONS OF INSTABILITY: MAY DECOMPOSE ON EXPOSURE TO MOIST AIR OR WATER.

MATERIALS TO AVOID: STRONG OXIDIZING AGENTS, STRONG BASES.

**HAZARDOUS DECOMPOSITION PRODUCTS**

HAZARDOUS DECOMPOSITION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, HYDROGEN CHLORIDE GAS, HYDROGEN FLUORIDE.

**SECTION 11. ----- TOXICOLOGICAL INFORMATION -----**

**ROUTE OF EXPOSURE**

MULTIPLE ROUTES: HARMFUL IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. IRRITATING TO EYES, RESPIRATORY SYSTEM AND SKIN.

**SIGNS AND SYMPTOMS OF EXPOSURE**

TO THE BEST OF OUR KNOWLEDGE, THE CHEMICAL, PHYSICAL, AND TOXICOLOGICAL PROPERTIES HAVE NOT BEEN THOROUGHLY INVESTIGATED. SYMPTOMS OF EXPOSURE MAY INCLUDE BURNING SENSATION, COUGHING, WHEEZING, LARYNGITIS, SHORTNESS OF BREATH, HEADACHE, NAUSEA, AND VOMITING. INHALATION MAY RESULT IN SPASM, INFLAMMATION AND EDEMA OF THE LARYNX AND BRONCHI, CHEMICAL PNEUMONITIS, AND PULMONARY EDEMA. MATERIAL IS EXTREMELY DESTRUCTIVE TO TISSUE OF THE MUCOUS MEMBRANES AND UPPER RESPIRATORY TRACT, EYES, AND SKIN.

**SECTION 12. ----- ECOLOGICAL INFORMATION -----**

DATA NOT YET AVAILABLE.

**SECTION 13. ----- DISPOSAL CONSIDERATIONS -----**

THIS COMBUSTIBLE MATERIAL MAY BE BURNED IN A CHEMICAL INCINERATOR EQUIPPED WITH AN AFTERBURNER AND SCRUBBER. OBSERVE ALL FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

**SECTION 14. ----- TRANSPORT INFORMATION -----**

**DOT**

PROPER SHIPPING NAME: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

UN#: 3265

CLASS: 8

PACKING GROUP: PACKING GROUP III

HAZARD LABEL: CORROSIVE

**SECTION 15. ----- REGULATORY INFORMATION -----**

**EU ADDITIONAL CLASSIFICATION**

SYMBOL OF DANGER: C

INDICATION OF DANGER: CORROSIVE.

R: 34-36/37

RISK STATEMENTS: CAUSES BURNS. IRRITATING TO EYES AND RESPIRATORY SYSTEM.

S: 23-26-27-36/37/39-45

SAFETY STATEMENTS: DO NOT BREATHE VAPOR. IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION. IN CASE OF ACCIDENT OR IF YOU FEEL UNWELL, SEEK MEDICAL ADVICE IMMEDIATELY (SHOW THE LABEL WHERE POSSIBLE).

**US CLASSIFICATION AND LABEL TEXT**

INDICATION OF DANGER: CORROSIVE.

RISK STATEMENTS: CAUSES BURNS. IRRITATING TO EYES AND RESPIRATORY SYSTEM.

SAFETY STATEMENTS: IN CASE OF CONTACT WITH EYES, RINSE IMMEDIATELY WITH PLENTY OF WATER AND SEEK MEDICAL ADVICE. TAKE OFF IMMEDIATELY ALL CONTAMINATED CLOTHING. DO NOT BREATHE VAPOR. WEAR SUITABLE PROTECTIVE CLOTHING, GLOVES, AND EYE/FACE PROTECTION.

US STATEMENTS: COMBUSTIBLE. LACHRYMATOR.

**UNITED STATES REGULATORY INFORMATION**

TSCA INVENTORY ITEM: NO

**SECTION 16. ----- OTHER INFORMATION -----**

THE ABOVE INFORMATION IS BELIEVED TO BE CORRECT BUT DOES NOT PURPORT TO BE ALL INCLUSIVE AND SHALL BE USED ONLY AS A GUIDE. SYNQUEST LABS, INC. SHALL NOT BE HELD LIABLE FOR ANY DAMAGE RESULTING FROM HANDLING OR FROM CONTACT WITH THE ABOVE PRODUCT.